CONTENTS

Synthesis and crystal structure of methyl 2-amino-2,6-dideoxy-α-D-glucopyranoside-6-sulfonic acid	
J.G. Fernández-Bolaños, J. Morales, S. García, M.J. Diánez, M.D. Estrada, A. López-Castro and S. Pérez (Sevilla, Spain)	1
The conformation of the monomethyl ethers of methyl β -lactoside in D ₂ O and Me ₂ SO- d_6 solutions	
P. Fernández and J. Jiménez-Barbero (Madrid, Spain)	15
Crystal and molecular structures of β -cellobiosylnitromethane and of β -maltosylnitromethane heptaacetate	
P. Köll (Oldenburg, Germany), M. Petrušová, L. Petruš (Bratislava, Slovakia), B. Zimmer, M. Morf and J. Kopf (Hamburg, Germany)	37
Crystal and molecular structures of D-glycero-L-gulo-heptitol, meso-glycero-allo-heptitol, and meso-glycero-allo-heptitol heptaacetate	
P. Köll, M. Bischoff (Oldenburg, Germany), M. Morf, B. Zimmer and J. Kopf (Hamburg, Germany)	45
The conformations of cyclic (1 → 2)-β-D-glucans: Application of multidimensional clustering analysis to conformational data sets obtained by Metropolis Monte Carlo calculations W.S. York, J.U. Thomsen and B. Meyer (Athens, GA, USA)	55
Modelling of arabinofuranose and arabinan. Part 1: conformational flexibility of the arabinofura- nose ring S. Cros, C. Hervé du Penhoat (Paris, France), S. Pérez (Nantes, France) and A. Imberty (Paris, France)	81
Conformationally restricted analogues of the muramyldipeptide MDP	
J.M. Vega-Pérez, J.L. Espartero, F.J. Ruiz and F. Alcudia (Sevilla, Spain)	95
Synthesis of a terminal A-B-C disaccharide fragment of flambamycin, curamycin, and avilamycin C. Žagar and HD. Scharf (Aachen, Germany)	107
Regioselective synthesis and characterization of naphthylethylcarbamoyl-β-cyclodextrins K.H. Gahm, W. Yoshida, W.P. Niemczura and A.M. Stalcup (Honolulu, HI, USA)	119
Synthesis and utilization of saccharide intermediates D. Becker and N. Galili (Haifa, Israel)	129
Synthesis and antineoplastic properties of 3'-deoxy-3'-fluoroketonucleoside derivatives. Correlations between structure and biological activity	
MJ. Egron, F. Leclercq, K. Antonakis, M.I. Bennani-Baiti and C. Frayssinet (Villejuif, France)	143
Preservation of D-glucose-oligosaccharides in cellulose chars I. Pastorova, P.W. Arisz and I.J. Boon (Amsterdam, Netherlands)	151

Structural analysis of sialic acid-containing carbohydrates by the reductive-cleavage method V. Srivastava and G.R. Gray (Minneapolis, MN, USA)	167
Structural characterization of feruloyl oligosaccharides from spinach-leaf cell walls	
T. Ishii (Ibaraki, Japan) and T. Tobita (Kanagawa, Japan)	179
Escherichia coli serotype K45 capsular antigen: a glycan containing 3-acetamido-3,6-dideoxyga- lactopyranose	
M.R. Grue, H. Parolis and L.A.S. Parolis (Grahamstown, South Africa)	191
Structural studies of the Vibrio cholerae O:5 O-antigen polysaccharide	
K. Hermansson, PE. Jansson, T. Holme and B. Gustavsson (Stockholm, Sweden)	199
Klebsiella K43 capsular polysaccharide: primary structure and depolymerisation by a viral-borne endoglycanase	
M. Aereboe, H. Parolis and L.A.S. Parolis (Grahamstown, South Africa)	213
Ultrastructural evidence for intramolecular double stranding in iota-carrageenan	
R.M. Abeysekera, E.T. Bergström, D.M. Goodall (York, UK), I.T. Norton and A.W. Robards (Bedford, UK)	225
Structure of the O-specific polysaccharide of the O23 antigen (LPS) from Escherichia coli O23: K?: H16	
M. Bartelt (Freiburg, Germany), A.S. Shashkov (Moskow, Russian Federation), H. Kochanowski, B. Jann and K. Jann (Freiburg, Germany)	233
Structural comparison of the O4-specific polysaccharides from E. coli O4: K6 and E. coli O4: K52.	
B. Jann (Freiburg, Germany), A.S. Shashkov (Moscow, Russian Federation), H. Kochanowski and K. Jann (Freiburg, Germany)	241
Preparation and characterization of four new variously deacetylated lysogangliosides, breakdown	
products of GM ₁ G. Cavallo, C. Iavarone and E. Tubaro (Rome, Italy)	251
The analysis of agarose by the reductive cleavage method K. Kiwitt-Haschemie, H. Heims, H. Steinhart and P. Mischnick (Hamburg, Germany)	267
The characterization of the O-antigen of Escherichia coli 064: K99 lipopolysaccharide M.B. Perry, L.L. MacLean and JR. Brisson (Ottawa, ON, Canada)	277
Structural analysis of tamarind seed xyloglucan oligosaccharides using β -galactosidase digestion and spectroscopic methods	
W.S. York, L.K. Harvey, R. Guillen, P. Albersheim and A.G. Darvill (Athens, GA, USA)	285
Progressive dissociation of pectin M.L. Fishman, P. Cooke, A. Hotchkiss and W. Damert (Philadelphia, PA, USA)	303
Engraphic combonic of some O.O. a displactment absorbed to using O. a selected to	
Enzymatic synthesis of some O - β -D-digalactosyl glycopeptides, using β -D-galactosidase S. Bay, A. Namane and D. Cantacuzene (Paris, France)	317
Accumulation of pentamannose oligosaccharides in human mononuclear leukocytes by action of swainsonine, an inhibitor of glycoprotein processing	
M.S. Kang, T.L. Bowlin (Cincinatti, OH, USA), I.K. Vijay (College Park, MD, USA) and	
S.P. Sunkara (Cincinnati, OH, USA)	327

Contents	Carbohydr.	Dos	248	(1003)	C7_C0
Contents.	Cartonivar.	1	4.70	117731	L/-L3

Contents . .

C9

C7

Control of the synthesis of dextran and acceptor-products by Leuconostoc mesenteroides B-512FM dextransucrase	
D. Su and J.F. Robyt (Ames, IA, USA)	339
Notes	
Crystal and molecular structure of 3-acetamido-2,6-anhydro-1,3-dideoxy-1-nitro-D-glycero-D-gulo-heptitol (2-acetamido-2-deoxy-β-D-glucopyranosylnitromethane) monohydrate	
P. Köll (Oldenburg, Germany), M. Petrušová, L. Petruš (Bratislava, Slovakia) and J. Kopf (Hamburg, Germany)	349
Quantitative determination of the effect of pH and temperature on the <i>keto</i> form of p-fructose by FT IR spectroscopy	
V.A. Yaylayan, A.A. Ismail and S. Mandeville (Ste. Anne de Bellevue, PQ, Canada)	355
Stereoselective preparation of dioxolane-type endo-benzylidene acetals by kinetically controlled reactions	
J. Kerékgyártó and A. Lipták (Debrecen, Hungary)	361
The regioselective <i>tert</i> -butyldimethylsilylation of the 6'-hydroxyl group of lactose derivatives via their dibutylstannylene acetals	
A. Glen, D.A. Leigh, R.P. Martin, J.P. Smart and A.M. Truscello (Manchester, UK)	365
Synthesis of 3-O-(2-iodoethyl)-D-glucose, a stable iodo derivative of D-glucose for medical imaging	
G. Bignan, C. Morin and M. Vidal (Grenoble, France)	371
Synthesis of benzylated cycloisomaltotetraose S. Houdier and P.J.A. Vottero (Grenoble, France)	377
Author index	C1
Subject index	C3

